

3' CLASSIC SLIDE


PRODUCT SPEC SHEET

ABOUT CLASSIC SLIDES

- 3', 4' or 5' deck height
- Molded slide foot
- One piece commercial slide
- Tough double wall rotomolded plastic construction
- Commercial grade quality - suitable for any commercial or community space!
- Does not include slide hood

Surface-Mounted Support included- these support posts will accommodate indoor installs or over a hard surface that is suitable for anchoring. This option will include a baseplate.

The face of this slide is concave. When placed against the face of the deck, this causes the outer edges of the slide to contact the face of the deck first. By installing the center mounting bolts first, the outer edges of the slide are pressed tightly against the face of the deck.



**Drawing is representation only and is not to scale.*



4' CLASSIC SLIDE


PRODUCT SPEC SHEET

ABOUT CLASSIC SLIDES

- 3', 4' or 5' deck height
- Molded slide foot
- One piece commercial slide
- Tough double wall rotomolded plastic construction
- Commercial grade quality - suitable for any commercial or community space!
- Does not include slide hood

Surface-Mounted Support included- these support posts will accommodate indoor installs or over a hard surface that is suitable for anchoring. This option will include a baseplate.

The face of this slide is concave. When placed against the face of the deck, this causes the outer edges of the slide to contact the face of the deck first. By installing the center mounting bolts first, the outer edges of the slide are pressed tightly against the face of the deck.



**Drawing is representation only and is not to scale.*



5' CLASSIC SLIDE


PRODUCT SPEC SHEET

ABOUT CLASSIC SLIDES

- 3', 4' or 5' deck height
- Molded slide foot
- One piece commercial slide
- Tough double wall rotomolded plastic construction
- Commercial grade quality - suitable for any commercial or community space!
- Does not include slide hood

Surface-Mounted Support included- these support posts will accommodate indoor installs or over a hard surface that is suitable for anchoring. This option will include a baseplate.

The face of this slide is concave. When placed against the face of the deck, this causes the outer edges of the slide to contact the face of the deck first. By installing the center mounting bolts first, the outer edges of the slide are pressed tightly against the face of the deck.



**Drawing is representation only and is not to scale.*

